1.   A computer-implemented method of using a paper document to retrieve multimedia information stored in a multimedia document in electronic form, wherein one or more user-selectable identifiers are printed on the paper document, the method comprising:

    receiving a first signal indicating selection of a first user-selectable identifier from the one or more user-selectable identifiers printed on the paper document;

    responsive to receiving the first signal, identifying a portion of multimedia information stored by the multimedia document corresponding to the first user-selectable identifier; and

    outputting the portion of the multimedia information corresponding to the first user-selectable identifier using an output device.

2.   The method of claim 1 wherein the first signal comprises information identifying the output device.

3.   The method of claim 1 wherein:

    the first signal comprises information indicating a playback mode for outputting the portion of the multimedia information corresponding to the first user-selectable identifier; and

    outputting the portion of the multimedia information using the output device comprises outputting the information according to the playback mode.

4.   The method of claim 1 wherein the one or more user-selectable identifiers include one or more barcodes printed on the paper document.

5.   The method of claim 1 wherein identifying the portion of multimedia information stored by the multimedia document corresponding to the first user-selectable identifier comprises:

    determining a first time and a second time corresponding to the first user-selectable identifier; and

    including a portion of the multimedia information stored by the multimedia document occurring between the first time and the second time in the portion of multimedia information corresponding to the first user-selectable identifier.

1   6.   The method of claim 1 wherein identifying the portion of multimedia
2 information stored by the multimedia document corresponding to the first user-selectable
3 identifier comprises:
4   determining a first time corresponding to the first user-selectable identifier;
5 and
6   including a portion of the multimedia information stored by the multimedia
7 document occurring from the first time in the portion of multimedia information
8 corresponding to the first user-selectable identifier.

1   7.   The method of claim 1 wherein one or more control codes are printed
2 on the paper document, the method further comprising:
3   receiving a second signal indicating selection of a first control code from the
4 one or more control codes printed on the paper document; and
5   responsive to receiving the second signal, controlling the output of the portion
6 of the multimedia information corresponding to the first user-selectable identifier based upon
7 the control code.

1   8.   A method of using a paper document to access multimedia information
2 stored in a multimedia document in electronic form, wherein one or more user-selectable
3 identifiers are printed on the paper document, the method comprising:
4   selecting a first user-selectable identifier from the one or more user-selectable
5 identifiers printed on the paper document;
6   requesting multimedia information corresponding to the first user-selectable
7 identifier; and
8   outputting a portion of the multimedia information stored by the multimedia
9 document corresponding to the first user-selectable identifier using an output device.

1   9.   The method of claim 8 wherein:
2   the one or more user-selectable identifiers correspond to one or more barcodes
3 printed on the paper document; and
4   selecting the first user-selectable identifier comprises scanning a first barcode
5 from the one or more barcodes printed on the paper document using a selection device.

1   10.   The method of claim 8 wherein:

2   the first user-selectable identifier is associated with a first time and a second

3 time; and

4   outputting the portion of the multimedia information corresponding to the first

5 user-selectable identifier using the output device comprises outputting a portion of the

6 multimedia information stored by the multimedia document occurring between the first time

7 and the second time.

1   11. The method of claim 8 wherein:

2   the first user-selectable identifier is associated with a first time; and

3   outputting the portion of the multimedia information corresponding to the first

4 user-selectable identifier using the output device comprises outputting a portion of the

5 multimedia information stored by the multimedia document occurring from the first time.

     12. The method of claim 8 wherein one or more control codes are printed

on the paper document, the method further comprising:

     selecting a first control code from the one or more control codes printed on the

paper document; and

     modifying the output of the portion of the multimedia information

corresponding to the first user-selectable identifier based upon the control code.

     13. A computer-implemented method of using a paper document to

retrieve multimedia information stored electronically in a multimedia document, wherein a

first plurality of user-selectable identifiers are printed on the paper document, the method

comprising:

     receiving a signal indicating selection of a second plurality of user-selectable

identifiers from the first plurality of user-selectable identifiers printed on the paper document,

wherein the second plurality of user-selectable identifiers is a subset of the first plurality of

user-selectable identifiers;

     responsive to receiving the first signal, identifying portions of multimedia

information stored by the multimedia document corresponding to the second plurality of user-

selectable identifiers; and

     outputting the portions of the multimedia information corresponding to the

second plurality of user-selectable identifiers using an output device.

1   14.   The method of claim 13 wherein identifying portions of multimedia

2 information stored by the multimedia document corresponding to the second plurality of user-

3 selectable identifiers comprises:

4   for each user-selectable identifier in the second plurality of user-selectable

5 identifiers:

6   determining a first time and a second time corresponding to the user-

7 selectable identifier; and

8   including multimedia information stored by the multimedia document

9 occurring between the first time and the second time corresponding to the user-selectable

10 identifier in the portions of multimedia information corresponding to the second plurality of

11 user-selectable identifiers.

15.   A computer-implemented method of retrieving multimedia information

using a first paper document and a second paper document, wherein one or more user-

selectable identifiers are printed on the first paper document and one or more user-selectable

identifiers are printed on the second paper document, the method comprising:

5   receiving a signal indicating selection of a first user-selectable identifier from

6 the one or more user-selectable identifiers printed on the first paper document, and indicating

7 selection of a second user-selectable identifier from the one or more user-selectable

8 identifiers printed on the second paper document;

9   identifying a portion of multimedia information corresponding to the first

10 user-selectable identifier from multimedia information stored by a first multimedia document;

11   identifying a portion of multimedia information corresponding to the second

12 user-selectable identifier from multimedia information stored by a second multimedia

13 document; and

14   outputting the portion of multimedia information stored by the first

15 multimedia document corresponding to the first user-selectable identifier and the portion of

16 multimedia information stored by the second multimedia document corresponding to the

17 second user-selectable identifier using an output device.

1   16.   The method of claim 15 wherein:

2   identifying the portion of multimedia information corresponding to the first

3 user-selectable identifier from multimedia information stored by the first multimedia

4 document comprises:

66

5   determining a first time and a second time associated with the first

6 user-selectable identifier; and

7   including a portion of multimedia information stored by the first

8 multimedia document occurring between the first time and the second time associated with

9 the first user-selectable identifier in the portion of multimedia information corresponding to

10 the first user-selectable identifier; and

11   identifying the portion of multimedia information corresponding to the second

12 user-selectable identifier from multimedia information stored by the second multimedia

13 document comprises:

14   determining a first time and a second time associated with the second

15 user-selectable identifier; and

16   including a portion of multimedia information stored by the second

17 multimedia document occurring between the first time and the second time associated with

18 the second user-selectable identifier in the portion of multimedia information corresponding

19 to the second user-selectable identifier.

21   17.   A system for using a paper document to retrieve multimedia

2 information stored in a multimedia document in electronic form, wherein one or more user-

3 selectable identifiers are printed on the paper document, the system comprising:

4   an output device; and

5   a data processor;

6   wherein the data processor is configured to:

7   receive a first signal indicating selection of a first user-selectable

8 identifier from the one or more user-selectable identifiers printed on the paper document;

9   identify a portion of multimedia information stored by the multimedia

10 document corresponding to the first user-selectable identifier; and

11   communicate the portion of the multimedia information corresponding

12 to the first user-selectable identifier to the output device; and

13   wherein the output device is configured to output the portion of the

14 multimedia information corresponding to the first user-selectable identifier received from the

15 data processor.

1   18.   The system of claim 17 wherein the first signal comprises information

2 identifying the output device.

1   19.   The system of claim 17 wherein:

2   the first signal comprises information indicating a playback mode for

3   outputting the portion of the multimedia information corresponding to the first user-selectable

4   identifier; and

5   the output device is configured to output the portion of the multimedia

6   information according to the playback mode.

1   20.   The system of claim 17 wherein the one or more user-selectable

2   identifiers includes barcodes printed on the paper document.

1   21.   The system of claim 17 wherein in order to identify the portion of

2   multimedia information stored by the multimedia document corresponding to the first user-

3   selectable identifier, the data processor is configured to:

4   determine a first time and a second time corresponding to the first user-

5   selectable identifier; and

6   include a portion of the multimedia information stored by the multimedia

7   document occurring between the first time and the second time in the portion of multimedia

8   information corresponding to the first user-selectable identifier.

1   22.   The system of claim 17 wherein in order to identify the portion of

2   multimedia information stored by the multimedia document corresponding to the first user-

3   selectable identifier, the data processor is configured to:

4   determine a first time corresponding to the first user-selectable identifier; and

5   include a portion of the multimedia information stored by the multimedia

6   document occurring from the first time in the portion of multimedia information

7   corresponding to the first user-selectable identifier.

1   23.   The system of claim 17 wherein one or more control codes are printed

2   on the paper document, and the data processor is configured to:

3   receive a second signal indicating selection of a first control code from the one

4   or more control codes printed on the paper document; and

5   control the output of the portion of the multimedia information corresponding

6   to the first user-selectable identifier based upon the control code.

24.   A system for using a paper document to access multimedia information stored in a multimedia document in electronic form, wherein one or more user-selectable identifiers are printed on the paper document, the system comprising:

a processor; and

a memory coupled to the processor, the memory configured to store a plurality of code modules for execution by the processor, the plurality of code modules comprising:

a code module for selecting a first user-selectable identifier from the one or more user-selectable identifiers printed on the paper document;

a code module for requesting multimedia information corresponding to the first user-selectable identifier; and

a code module for outputting a portion of the multimedia information stored by the multimedia document corresponding to the first user-selectable identifier using an output device.

25.   The system of claim 24 wherein:

the one or more user-selectable identifiers correspond to one or more barcodes printed on the paper document; and

the code module for selecting the first user-selectable identifier comprises a code module for scanning a first barcode from the one or more barcodes printed on the paper document using a selection device.

26.   The system of claim 24 wherein:

the first user-selectable identifier is associated with a first time and a second time; and

the code module for outputting the portion of the multimedia information corresponding to the first user-selectable identifier using the output device comprises a code module for outputting a portion of the multimedia information stored by the multimedia document occurring between the first time and the second time.

27.   The system of claim 24 wherein:

the first user-selectable identifier is associated with a first time; and

the code module for outputting the portion of the multimedia information corresponding to the first user-selectable identifier using the output device comprises a code

5   module for outputting a portion of the multimedia information stored by the multimedia

6   document occurring from the first time.

1   28.   The system of claim 24 wherein one or more control codes are printed

2   on the paper document, the plurality of code modules further comprising:

3   a code module for selecting a first control code from the one or more control

4   codes printed on the paper document; and

5   a code module for modifying the output of the portion of the multimedia

6   information corresponding to the first user-selectable identifier based upon the control code.

1   29.   A system for using a paper document to retrieve multimedia

2   information stored electronically in a multimedia document, wherein a first plurality of user-

3   selectable identifiers are printed on the paper document, the system comprising:

4   an output device; and

5   a data processor;

6   wherein the data processor is configured to:

7   receive a signal indicating selection of a second plurality of user-

8   selectable identifiers from the first plurality of user-selectable identifiers printed on the paper

9   document, wherein the second plurality of user-selectable identifiers is a subset of the first

10   plurality of user-selectable identifiers;

11   identify portions of multimedia information stored by the multimedia

12   document corresponding to the second plurality of user-selectable identifiers; and

13   communicate the portions of the multimedia information of the

14   multimedia document corresponding to the second plurality of user-selectable identifiers to

15   the output device; and

16   wherein the output device is configured to output the portions of the

17   multimedia information corresponding to the second plurality of user-selectable identifiers

18   received from the data processor.

1   30.   The system of claim 29 wherein in order to identify portions of

2   multimedia information stored by the multimedia document corresponding to the second

3   plurality of user-selectable identifiers, the data processor is configured to:

4   for each user-selectable identifier in the second plurality of user-selectable

5   identifiers:

6   determine a first time and a second time corresponding to the user-

7   selectable identifier; and

8   include multimedia information stored by the multimedia document

9   occurring between the first time and the second time corresponding to the user-selectable

10   identifier in the portions of multimedia information corresponding to the second plurality of

11   user-selectable identifiers.

1   31.   A system for retrieving multimedia information using a first paper

2   document and a second paper document, wherein one or more user-selectable identifiers are

3   printed on the first paper document and one or more user-selectable identifiers are printed on

4   the second paper document, the system comprising:

5   an output device; and

6   a data processor;

7   wherein the data processor is configured to:

8   receive a signal indicating selection of a first user-selectable identifier

9   from the one or more user-selectable identifiers printed on the first paper document, and

10   indicating selection of a second user-selectable identifier from the one or more user-

11   selectable identifiers printed on the second paper document;

12   identify a portion of multimedia information corresponding to the first

13   user-selectable identifier from multimedia information stored by a first multimedia document;

14   identify a portion of multimedia information corresponding to the

15   second user-selectable identifier from multimedia information stored by a second multimedia

16   document; and

17   communicate the portion of multimedia information stored by the first

18   multimedia document corresponding to the first user-selectable identifier and the portion of

19   multimedia information stored by the second multimedia document corresponding to the first

20   user-selectable identifier to the output device; and

21   wherein the output device is configured to output the portion of multimedia

22   information corresponding to the first user-selectable identifier and the portion of multimedia

23   information corresponding to the second user-selectable identifier received from the data

24   processor.

1   32.   The system of claim 31 wherein:

2   the data processor identifies the portion of multimedia information

3 corresponding to the first user-selectable identifier from multimedia information stored by the

4 first multimedia document by:

5   determining a first time and a second time associated with the first

6 user-selectable identifier; and

7   including a portion of multimedia information stored by the first

8 multimedia document occurring between the first time and the second time associated with

9 the first user-selectable identifier in the portion of multimedia information corresponding to

10 the first user-selectable identifier; and

11   the data processor identifies the portion of multimedia information

12 corresponding to the second user-selectable identifier from multimedia information stored by

13 the second multimedia document by:

14   determining a first time and a second time associated with the second

15 user-selectable identifier; and

16   including a portion of multimedia information stored by the second

17 multimedia document occurring between the first time and the second time associated with

18 the second user-selectable identifier in the portion of multimedia information corresponding

19 to the second user-selectable identifier.

      33. A computer program product stored on a computer-readable storage

2 medium for using a paper document to retrieve multimedia information stored in a

3 multimedia document in electronic form, wherein one or more user-selectable identifiers are

4 printed on the paper document, the computer program product comprising:

5   code for receiving a first signal indicating selection of a first user-selectable

6 identifier from the one or more user-selectable identifiers printed on the paper document;

7   code for identifying a portion of multimedia information stored by the

8 multimedia document corresponding to the first user-selectable identifier; and

9   code for outputting the portion of the multimedia information using an output

10 device.

1   34. The computer program product of claim 33 wherein the code for

2 identifying the portion of multimedia information stored by the multimedia document

3 corresponding to the first user-selectable identifier comprises:

4   code for determining a first time and a second time corresponding to the first

5 user-selectable identifier; and

6   code for including a portion of the multimedia information stored by the

7 multimedia document occurring between the first time and the second time in the portion of

8 multimedia information corresponding to the first user-selectable identifier.

1   35. The computer program product of claim 33 wherein the code for

2 identifying the portion of multimedia information stored by the multimedia document

3 corresponding to the first user-selectable identifier comprises:

4   code for determining a first time corresponding to the first user-selectable

5 identifier; and

6   code for including a portion of the multimedia information stored by the

7 multimedia document occurring from the first time in the portion of multimedia information

8 corresponding to the first user-selectable identifier.

1   36. The computer program product of claim 33 wherein one or more

2 control codes are printed on the paper document, the computer program product further

3 comprising:

4   code for receiving a second signal indicating selection of a first control code

5 from the one or more control codes printed on the paper document; and

6   code for controlling the output of the portion of the multimedia information

7 corresponding to the first user-selectable identifier based upon the control code.

1   37. A computer program product stored on a computer-readable storage

2 medium for using a paper document to access multimedia information stored in a multimedia

3 document in electronic form, wherein one or more user-selectable identifiers are printed on

4 the paper document, the computer program product comprising:

5   code for selecting a first user-selectable identifier from the one or more user-

6 selectable identifiers printed on the paper document;

7   code for requesting multimedia information corresponding to the first user-

8 selectable identifier; and

9   code for outputting a portion of the multimedia information stored by the

10 multimedia document corresponding to the first user-selectable identifier using an output

11 device.

38.   The computer program product of claim 37 wherein:

the one or more user-selectable identifiers correspond to one or more barcodes printed on the paper document; and

the code for selecting the first user-selectable identifier comprises code for scanning a first barcode from the one or more barcodes printed on the paper document using a selection device.

39.   The computer program product of claim 37 wherein:

the first user-selectable identifier is associated with a first time and a second time; and

the code for outputting the portion of the multimedia information corresponding to the first user-selectable identifier using the output device comprises code for outputting a portion of the multimedia information stored by the multimedia document occurring between the first time and the second time.

40.   The computer program product of claim 37 wherein:

the first user-selectable identifier is associated with a first time; and

the code for outputting the portion of the multimedia information corresponding to the first user-selectable identifier using the output device comprises code for outputting a portion of the multimedia information stored by the multimedia document occurring from the first time.

41.   The computer program product of claim 37 wherein one or more control codes are printed on the paper document, the computer program product further comprising:

code for selecting a first control code from the one or more control codes printed on the paper document; and

code for modifying the output of the portion of the multimedia information corresponding to the first user-selectable identifier based upon the control code.

42.   A computer program product stored on a computer-readable storage medium for using a paper document to retrieve multimedia information stored electronically in a multimedia document, wherein a first plurality of user-selectable identifiers are printed on the paper document, the computer program product comprising:

5   code for receiving a signal indicating selection of a second plurality of user-

6   selectable identifiers from the first plurality of user-selectable identifiers printed on the paper

7   document, wherein the second plurality of user-selectable identifiers is a subset of the first

8   plurality of user-selectable identifiers;

9   code for responsive to receiving the first signal, identifying portions of

10   multimedia information stored by the multimedia document corresponding to the second

11   plurality of user-selectable identifiers; and

12   code for outputting the portions of the multimedia information corresponding

13   to the second plurality of user-selectable identifiers using an output device.

1   43.   The computer program product of claim 42 wherein the code for

2   identifying portions of multimedia information stored by the multimedia document

3   corresponding to the second plurality of user-selectable identifiers comprises:

4   for each user-selectable identifier in the second plurality of user-selectable

5   identifiers:

6   code for determining a first time and a second time corresponding to

7   the user-selectable identifier; and

8   code for including multimedia information stored by the multimedia

9   document occurring between the first time and the second time corresponding to the user-

10   selectable identifier in the portions of multimedia information corresponding to the second

11   plurality of user-selectable identifiers.

1   44.   A computer program product stored on a computer-readable storage

2   medium for retrieving multimedia information using a first paper document and a second

3   paper document, wherein one or more user-selectable identifiers are printed on the first paper

4   document and one or more user-selectable identifiers are printed on the second paper

5   document, the computer program product comprising:

6   code for receiving a signal indicating selection of a first user-selectable

7   identifier from the one or more user-selectable identifiers printed on the first paper document,

8   and indicating selection of a second user-selectable identifier from the one or more user-

9   selectable identifiers printed on the second paper document;

10   code for identifying a portion of multimedia information corresponding to the

11   first user-selectable identifier from multimedia information stored by a first multimedia

12   document;

13   code for identifying a portion of multimedia information corresponding to the

14 second user-selectable identifier from multimedia information stored by a second multimedia

15 document; and

16   code for outputting the portion of multimedia information stored by the first

17 multimedia document corresponding to the first user-selectable identifier and the portion of

18 multimedia information stored by the second multimedia document corresponding to the

19 second user-selectable identifier using an output device.

1   45.   The computer program product of claim 44 wherein:

2   the code for identifying the portion of multimedia information corresponding

3 to the first user-selectable identifier from multimedia information stored by the first

4 multimedia document comprises:

5   code for determining a first time and a second time associated with the

6 first user-selectable identifier; and

7   code for including a portion of multimedia information stored by the

8 first multimedia document occurring between the first time and the second time associated

9 with the first user-selectable identifier in the portion of multimedia information

10 corresponding to the first user-selectable identifier; and

11   the code for identifying the portion of multimedia information corresponding

12 to the second user-selectable identifier from multimedia information stored by the second

13 multimedia document comprises:

14   code for determining a first time and a second time associated with the

15 second user-selectable identifier; and

16   code for including a portion of multimedia information stored by the

17 second multimedia document occurring between the first time and the second time associated

18 with the second user-selectable identifier in the portion of multimedia information

19 corresponding to the second user-selectable identifier.